




CAR MAKE	MODEL	YEAR	CYL	ENGINE DISPLACEMENT L	SMART-O Plug #	SMART-O Washer #
ALFA ROMEO	147, 149, 155, 156, 159 (Diesel), 166, 156 Sportwagon, 156 Sportwagon 4X4, 159 4X4, 159 Sportwagon, 159 Sportwagon 4X4, Brera (Diesel), Giulia, Giulietta, GT, GTV, Mito, Spider (Diesel)	1995 - 2015	4, 6	1.4, 1.6, 1.75, 1.8, 1.9, 2.0, 2.4, 3.2	R23	W R23
ALFA ROMEO	159 (Petrol), 159 Sportwagon (Petrol), Brera (Petrol), Spider (Petrol)	2005 - 2011	4, 6	1.9, 2.2	F1	W F1-F3
ALFA ROMEO	Mito (Diesel)	2008 - 2015	4	1.3	R6	W R6-R20
AUDI	A1, A1 Quattro, A1 Sportback, A2, A3, A3 Cabrio, A3 Quattro, A3 Sportback, A3 Sportback Quattro, A4 (8EC), A4 Allroad Quattro, A4 Avant (8Ed), A4 Avant Quattro (8Ed), A4 Cabrio, A4 Cabrio Quattro, A4 Quattro (8EC), A5 Cabrio, A5 Cabrio Quattro, A5 Coupe, A5 Sportback, A6, A6 Allroad Quattro, A6 Avant, A6 Quattro (Petrol), A8, A8 Quattro (Petrol), Q3, Q3 Quattro, Q5, Q5 Quattro (Diesel), RS3 Sportback Quattro, RS4 Avant Quattro (8D5), RSQ3 Quattro, S3 Quattro, S3 Sportback Quattro, S4 Avant Quattro (8D5), S4 Quattro (8D2), TTCoupe, TT Coupe Quattro, TT Roadster, TTRoadster Quattro, TTRS Coupe Quattro, TTRS Roadster Quattro, TTS Coupe Quattro, TTS Roadster Quattro	2000 - 2015	4, 6	1.2, 1.4, 1.6, 1.8, 1.9, 2.0, 2.4, 2.5, 2.7, 2.8, 3.0, 3.2, 3.6, 6.0	R3	W R3-R11
AUDI	A4 (8K2), A4 Avant (8K5), A4 Avant Quattro (8K5), A4 Quattro (8K2), A5 Coupe Quattro, A5 Sportback Quattro, A6 Avant Quattro, A6 Quattro (Diesel), A7 Sportback, A7 Sportback Quattro, A8 Quattro (Diesel), Q5 Quattro (Petrol), Q7 Quattro, RS4 Avant Quattro (8K5), RS4 Quattro, RS5 Cabrio Quattro, RS5 Coupe Quattro, S4 Avant Quattro (8K5), S4 Quattro (8K2), S5 Cabrio Quattro, S5 Coupe Quattro, S5 Sportback Quattro, S6 Avant Quattro, S6 Quattro, S7 Sportback Quattro, S8 Quattro, SQ5 Quattro	2003 - 2015	4, 6	2.4, 2.7, 2.8, 3.0, 3.2, 4.0, 4.2, 5.2	R6	W R6-R20
AUDI	80, 90, 100, 100 Avant, 100 Avant Quattro, 100 Quattro, 80 Avant RS2 Quattro, 80 Quattro, 90 Quattro, A4 (8D2), A4 Avant (8D5), A4 Avant Quattro (8D5), A4 Quattro (8D2), Cabriolet, Coupe, Coupe Quattro	1976 - 2001	4, 6	1.6, 1.8, 2.0, 2.2, 2.3, 2.4, 2.6, 2.8	S13	W S13
BMW	Series 116D, 118D, 120D, 123D, 130i, 320D, 320TD, 323i, 325D, 325i, 328i, 330D, 330i, 335D, 335i, 520D, 520i, 523i, 525D, 525i, 528i, 530D, 530i, 535D, 630i, 730D, 730i, 730Li, 740D, 740i, 745D, X1, X3, X5 I 3.0 d X, X5 II 3.0 d X, X6 3.0 d X, X6 3.5 i X, Z3, Z4	2000 - 2015	4, 6	1.6, 2.0, 2.2, 2.5, 3.0, 3.2, 3.9, 4.4	R4	W R4-R5
BMW	Series 116i, 118i, 120i, 316i, 318i, 320i, 535i, 840Ci, 840i, 850Ci, X5i 4.6 IS X	2000 - 2015	4, 6, 8	1.6, 1.8, 2.0, 4.4, 4.6	R5	W R4-R5
BMW	540i, 545i, 550i, 645i, 650i, 735i, 735Li, 740Li, 745Li, 745Li, 750i, 750 Li, 760i, X5i 4.8 iS X, X5 II 4.8i X, X5 II 5.0i, X6 5.0i	2000 - 2015	6, 8	3.6, 4.0, 4.4, 4.8, 6.0	R23	W R23
CHRYSLER	Series 200, 300, Grand Voyager, LHS, PT Cruiser, Sebring, Town & Country, Viper	1995 - 2015	4, 6, 8	2.0, 2.4, 2.7, 3.2, 3.3, 3.5, 3.6, 3.8, 4.0, 4.7, 5.7, 6.1	F3	W F1-F3
CHRYSLER	Neon, Cirrus, Grand Voyager, Sebring, Town & Country, Voyager	1996 - 2012	4, 6	2.4, 2.5, 3.0	R6	W R6-R20
CHRYSLER	Valiant	1962 - 1981	6, 8	2.2, 2.5, 2.6, 3.0	R9	W R1-R9
CHRYSLER	300C, Crossfire, PT Cruiser	2000 - 2014	4, 6	1.6, 2.0, 2.2, 2.4, 3.0, 3.2	R11	W R3-R11
CITROËN	BX, C15, C25, C35 Pickup, CX I, CX II, ZX	1973 - 2005	4	1.6, 1.8, 2.0	R16	W R16-R22
CITROËN	C25, C25 4X4, C25 Relay, C25 Relay 4X4, Dispatch I, Jumpy I, Nemo (Manual Transmission, 5-Speed)	1991 - 2015	4	1.3, 1.6, 1.9, 2.0	S18	W S18
CITROËN	Nemo	2010 - 2015	4	1.3	R6	W R6-R20
CITROËN	Berlingo I, Berlingo I 4X4, Berlingo II, Berlingo II 4X4, Berlingo III, Berlingo III Tepee, C1, C15 Champ, C2, C3 I, C3 I Pluriel, C3 II, C3 III, C4 Aircross, C4 Aircross 4X4, C4 I, C5 I, C5 I Break, C5 II, C5 II Break, C5 III, C5 III Break, C8, Dispatch II, Dispatch III, DS3, DS5, DS5 4X4, Nemo, Synergie, Xantia II, Xantia II Break, Xsara I, Xsara I Break, Xsara II, Xsara II Break, Xsara Picasso	1998 - 2015	4	1.4, 1.6, 1.9, 2.0, 2.2	R28	W R28
DAEWOO	Cielo, Espiro, Lanos, Lancetti, Leganza, Kalos, Nubira, Nexia GI/GLS	1997 - 2014	4	1.4, 1.5, 1.6, 2.0	R6	W R6-R20
DAIHATSU	Copen, Materia, Materia 4X4, Sirion, Sirion 4X4, Terios, Terios 4X4, Applause, Pyzar	2003 - 2008	3, 4	1.0, 1.3, 1.5	R1	W R1-R9
FIAT	500, 500 Abarth, 500C, 500C Abarth, Barchetta, Brava, Bravo I, Bravo II, Doblo, Doblo Cargo, Ducato, Fiorino, Freemont, Freemont 4X4, Grande Punto, Grande Punto Abarth, Idea, Linea, Multipla, Panda, Pratico, Punto & Punto II, Qubo, Viaggio, Uno	2000 - 2015	2, 4, 5, 6	0.7, 0.8, 0.9, 1.0, 1.1, 1.2, 1.3, 1.4, 1.6, 1.7, 1.8, 1.9, 2.0, 2.3, 2.5, 2.8, 3.0, 3.6	S18	W S18
FORD	Falcon AU, BA, BF, FG, EL, Escort, Fairlane AU, BA, Cougar, Maverick 4X4, Mondeo (Petrol), Mondeo Turnier (97), Taurus DN, DP, F350	1994 - 2012	4, 6, 8	1.8, 2.0, 2.2, 2.5, 3.0, 4.0	F1	W F1-F3
FORD	C-Max, Explorer 4X4, Fiesta (Petrol), Fiesta Courier, Focus, Focus C-Max (Petrol), Focus Turnier, Fusion, Galaxy (06), Grand C-Max, Ka (97), Ka Van, Mondeo (Diesel), Mondeo Turnier (01), Mustang, Puma, Ranger, S-Max, Transit (Diesel), Transit 4X4, Transit Custom, Transit Tourneo	1993 - 2015	4, 6, 8	1.0, 1.1, 1.2, 1.3, 1.4, 1.6, 1.7, 1.8, 2.0, 2.2, 2.3, 2.4, 4.0	F3	W F1-F3
FORD	Cortina, Courier, Festiva, Fiesta (Diesel), Focus C-Max (Diesel), Laser, Meteor, Mondeo, Probe, Raider, Spectron, Telstar, Transit (Petrol)	1981 - 2012	4	1.1, 1.3, 1.5, 1.6, 1.7, 1.8, 2.0, 2.3, 2.4	R6	W R6-R20
FORD	Falcon XB, XC, XD, XE, XF, XK Falcon Ute XG, XH, Cortina (Ex 2.0L) Fairlane ZA - ZL, F100- F500	1960 - 1999	6, 8	3.6, 4.0, 5.0	R9	W R1-R9


\*Attention: All SMART-O plug vehicle data is to be used for quick reference only. No representation or warranty is made to the accuracy of the data. Oil Drain plug / Sump plug sizes can vary according to model, engine specifications, country of manufacture. Always utilize the gauge tool to measure the thread diameter, pitch and shank length of your existing plug and match those up with a comparable SMART-O plug. If in doubt, check with your vehicles' original manufacturer manual.





CAR MAKE	MODEL	YEAR	CYL	ENGINE DISPLACEMENT L	SMART-O Plug #	SMART-O Washer #
<b>FORD</b>	C-MAX 03, C-MAX 07, C-MAX 11, Ecosport 13, Fiesta 02, Fiesta 08, Focus 04, Focus 08, Focus 11, Fusion 02, Galaxy 06, Mondeo 07, S-MAX 06	2001-2015	4	1.4,1.5,1.6	<b>R28</b>	<b>W R28</b>
<b>HOLDEN</b>	Commodore VE, VN, VP, VQ, VR, VS (12mm plug), VX, VY (V8 ), VZ, Captiva, Colorado, Cruze	1989 - 2013	4, 6, 8	2.0, 3.8, 5.0 5.7	<b>F1</b>	<b>W F1-F3</b>
<b>HOLDEN</b>	Commodore VL (12mm Plug), Apollo, Nova	1986 - 2007	6	1.4, 1.6, 1.8, 2.0, 2.2, 3.0	<b>R1</b>	<b>W R1-R9</b>
<b>HOLDEN</b>	Commodore VT (V8) . VT (6 Cyl), For Engine No. VH756060, a later series engine change requires a 24mm plug (not available as yet)	1997 - 2000	6, 8	3.8, 5.0, 5.7	<b>F3</b>	<b>W F1-F3</b>
<b>HOLDEN</b>	Commodore VB, VC, VH, VK, VL (5.0 Litre), Holden HK, HZ, WB, Statesman, Sunbird	1971 - 2005	4, 6, 8	1.9, 2.8, 3.0, 4.1, 4.2, 5.0	<b>R9</b>	<b>W R1-R9</b>
<b>HOLDEN</b>	Commodore VL(16mm Plug)	1986 - 1988	6	3.0,	<b>R16</b>	<b>W R16-R22</b>
<b>HOLDEN</b>	Commodore VX (6 cyl), VY (6 cyl) - 24mm plug (not available as yet)	1995 - 2010	6		<b>N/A (S32)</b>	<b>N/A</b>
<b>HOLDEN</b>	Astra, Barina, Cascada (Petrol), Calibra, Camira, Frontera, Gemini, Jackaroo, Piazza, Rodeo, Vectra	1975 - 2015	4, 6, 8	1.4, 1.6, 1.8, 2.0, 2.5, 3.8, 5.0	<b>R6</b>	<b>W R6-R20</b>
<b>HOLDEN</b>	Viva	2005 - 2008	4	1.4, 1.6, 2.0	<b>R3</b>	<b>W R3-R11</b>
<b>HOLDEN</b>	Cascada (Diesel)	2013 - 2015	4	2.0	<b>R23</b>	<b>W R23</b>
<b>HONDA</b>	Accord, Accord Crosstour, Civic, CR-V, CR-Z, Element, Fit, Fit Sport, Insight, Odyssey, Passport, Pilot, Prelude, Ridgeline, S2000	1992 - 2015	3, 4, 6	1.0, 1.2, 1.3, 1.5, 1.6, 1.7, 1.8, 2.0, 2.2, 2.3, 2.4, 2.6, 2.7, 3.2, 3.5	<b>R6</b>	<b>W R6-R20</b>
<b>HYUNDAI</b>	Accent I, Accent II, Accent III, Accent IV, Atos, Centennial, Click, Coupe, Elantra I, Elantra I Wagon, Elantra II, Elantra III, Elantra Lavita, Excel, Galloper II 4x4, Getz, Grandeur, H 100, H 100 Truck, H-1, H-1 4x4, i30, i40, ix35, ix35 4x4, Lantra I, Lantra II, Lantra II Wagon, Lavita, Santa Fe, Santa Fe 4x4, S-Coupe, Sonata I, Sonata II, Sonata III, Sonata IV, Sonata V, Terracan, Terracan 4x4, Trajet, Tucson, Tucson 4x4	1988 - 2015	3, 4, 6, 8	0.8, 1.0 - 2.0, 2.4, 2.5, 2.6, 2.7, 2.9, 3.0, 3.3, 3.5, 3.8, 4.5	<b>R6</b>	<b>W R6-R20</b>
<b>INFINITI</b>	EX35, EX37, FX35, FX37, FX45, FX50, G20, G25, G35, G37, I30, I35, J30, JX35, M30, M35, M35H, M37, M45, M56, Q45, QX4, QX56	1992 - 2013	4, 6, 8	2.0, 2.5, 3.0, 3.3, 3.5, 3.7, 4.1, 4.5, 5.0, 5.6	<b>R1</b>	<b>W R1-R9</b>
<b>JAGUAR</b>	S-Type, Super V8, Vanden Plas, XF, XJ, XJ8, XJR, X-Type	2000 - 2015	6	2.5, 3.0	<b>F1</b>	<b>W F1-F3</b>
<b>JAGUAR</b>	Vanden Plas, XF, XFR, XJ, XJ8, XJR, XK, XK8, XKR, XKR-S	2000 - 2015	6, 8	3.0, 4.0, 4.2, 5.0	<b>F3</b>	<b>W F1-F3</b>
<b>JAGUAR</b>	XJ III, XJ12, XJ6, XJRS, XJS	1979 - 2011	6, 12	4.2, 5.0, 5.3, 6.0,	<b>R16</b>	<b>W R16-R22</b>
<b>JEEP</b>	Commander, Compass, Grand Cherokee (3.7L), Liberty (3.7L), Wrangler (3.8L), Patriot	1999 - 2015	4, 6, 8	2.0, 2.4, 3.6, 3.7, 3.8, 4.7, 5.7, 6.1	<b>F3</b>	<b>W F1-F3</b>
<b>JEEP</b>	Cherokee, Comanche, Grand Cherokee (4.0L), Grand Wagoneer, Liberty (2.4L), Wrangler (4.0L)	1989 - 2015	4, 6, 8	2.4, 2.5, 4.0, 5.2, 5.9	<b>R9</b>	<b>W R1-R9</b>
<b>JEEP</b>	Grand Cherokee (3.0L), Grand Cherokee 4X4 (4.7L)	2000 - 2010	6, 8	3.0, 4.7	<b>R11</b>	<b>W R3-R11</b>
<b>KIA</b>	Bongo, Bongo 4x4, Cadenza, Carens II, Carens III, Carnival II, Carnival III, Cerato, Joice, K2500, K2700, K3600, Magentis I, Magentis II, Mentor II, Optima, Picanto, Rio I, Rondo, Sorento, Sorento 4x4, Spectra, Sportage, Sportage 4x4	1997 - 2015	4, 6, 8	1.0, 1.1, 1.3, 1.5, 1.6, 1.8, 2.0, 2.2, 2.4, 2.5, 2.7, 2.9, 3.0, 3.5, 3.6, 3.8, 4.6	<b>R6</b>	<b>W R6-R20</b>
<b>LANCIA</b>	Delta III, Lybra, Thesis	1994 - 2015	4, 5	1.6, 1.8, 1.9, 2.0, 2.4	<b>R23</b>	<b>W R23</b>
<b>LAND ROVER</b>	Discovery, Freelander, LR2, LR3, LR4, Range Rover, Range Rover Evoque, Range Rover Sport	2000 - 2015	4, 6, 8	2.0 , 2.0 , 2.5 , 3.2 , 4.0 , 4.2 , 4.4 , 4.6 , 5.0	<b>F3</b>	<b>W F1-F3</b>
<b>LAND ROVER</b>	Freelander II 4WD	2006-2015	4	2.2	<b>R28</b>	<b>W R28</b>
<b>LEXUS</b>	ES 250, ES 300, ES 330, ES 350, GS 300, GS 400, GS 450h, GS 460, IS 200, IS 220, IS 250, IS 250 4x4, IS 250 C, IS 300, ISF, LS 460, LS 460 4x4, LS 600h 4x4, LX 570 4x4, RX 300 4x4, RX 350 4x4, RX 450h 4x4	1989 - 2015	6, 8	2.0, 2.2, 2.5, 3.0, 3.3, 3.5, 4.0, 4.6, 5.0, 5.7	<b>R1</b>	<b>W R1-R9</b>
<b>MAZDA</b>	BT50, CX9, CX9 4WD, MPV II, Tribute 4WD	1999 - 2015	6	2.5, 3.0, 3.7	<b>F1</b>	<b>W F1-F3</b>
<b>MAZDA</b>	Series 2, 3, 5, 6, 929, B2600, CX-5, CX7, E2000, MPV, MX3, 4, 5, 6, 7, 8, 10, 11, 12, 14, 15, RX7, RX8, Protégé	1984 - 2015	4, 6	1.3, 1.5, 1.8, 2.0, 2.3, 2.5, 2.6, 3.0	<b>R6</b>	<b>W R6-R20</b>
<b>MERCEDES-BENZ</b>	C 180 (204), C 320 CDI, C 350 CDI, C 350 T CDI, C 63 AMG, C 63 T AMG, CLC 200 CDI, CLS 350 Bluetec, CLS 350 CDI, CLS 350 T CDI, E 180, E 200 (2.0L), E 200 T, E 220 T CDI, E 250 (2.0L), E 300 Bluetec, E 300 CDI, E 300 T Bluetec, E 300 T CDI, E 350 Bluetec, E 350 CDI, E 350 T Bluetec, E 350 T CDI, G 500 4 Matic, GL 350 Bluetec 4 Matic, GL 500 4 Matic, ML 350 4 Matic, ML 350 CDI 4 Matic, ML 500 4 Matic, R 280 CDI, R 300 CDI, R 320 CDI 4 Matic, R 350 CDI 4 Matic, S 350 CDI, SL 65 AMG Cabrio	2001 - 2015	4, 6, 8, 12	1.6, 2.0, 2.2, 3.0, 3.5, 4.7, 5.5, 6.0, 6.2	<b>R5</b>	<b>W R4-R5</b>


\*Attention: All SMART-O plug vehicle data is to be used for quick reference only. No representation or warranty is made to the accuracy of the data. Oil Drain plug / Sump plug sizes can vary according to model, engine specifications, country of manufacture. Always utilize the gauge tool to measure the thread diameter, pitch and shank length of your existing plug and match those up with a comparable SMART-O plug. If in doubt, check with your vehicles' original manufacturer manual.





CAR MAKE	MODEL	YEAR	CYL	ENGINE DISPLACEMENT L	SMART-O Plug #	SMART-O Washer #
<b>MERCEDES-BENZ</b>	A 140, A 160 CDI, A 250 4 Matic, A 45 AMG, A 45 AMG 4 Matic, B 220 4 Matic, C 180 (203), C 220 CDI 4 Matic, C 220 T CDI, C 220 T CDI 4 Matic, C 300 CDI 4 Matic, C 300 T CDI 4 Matic, CLA 180, CLA 200, CLA 200 CDI, CLA 220 CDI, CLA 250, CLA 250 4 Matic, CLA 45 AMG 4 Matic, CLS 63 AMG 4 Matic, CLS 63 T AMG 4 Matic, E 200 (1.8L), E 200 CGI, E 250 (2.5L), E 350 4 Matic, E 400, E 400 4 Matic, E 400 T, E 400 T 4 Matic, E 500, E 63 AMG, E 63 AMG 4 Matic, E 63 T AMG, E 63 T AMG 4 Matic, GLK 300 4 Matic, ML 250 CDI 4 Matic, S 400, S 500, S 500 4 Matic, S 63 AMG, S 63 AMG 4 Matic	2000 - 2015	4, 5, 6, 8, 12	1.4 - 2.0, 2.1, 2.2, 2.3, 2.5 - 3.0, 3.2, 3.5, 3.7, 4.0, 4.3, 4.7, 5.0, 5.4, 5.5, 5.8, 6.0, 6.2	<b>R11</b>	<b>W R3-R11</b>
<b>MERCEDES-BENZ</b>	C 200 CDI, C 200 D, C 200 Kompressor, C 200 T, C 200 T CDI, C 200 T Kompressor, C 200 TD, C 220, C 220 CDI, C 230 Kompressor, C 240, C 240 T, C 250 D, C 250 D Turbo, C 250 TD Turbo, C 280, C 280 T, C 36 AMG, C 43 AMG, C 43 T AMG, CLK 200, CLK 200 Cabrio, CLK 320, CLK 320 Cabrio, CLK 430, E 200 CDI, E 200 D, E 200 T Kompressor, E 240, E 240 T, E 250 D, E 250 D Turbo, E 280, E 280 4 Matic, E 280 T 4 Matic, E 320, E 320 4 Matic, E 320 T, E 320 T 4 Matic, E 430, E 430 T, E 55 AMG, E 55 T AMG, G 300 D Turbo 4 Matic, ML 230 4 Matic, ML 320 4 Matic, ML 430 4 Matic, S 280, S 320, S 430, SL 280 Cabrio, SL 320 Cabrio, SL 500 Cabrio, Sprinter 208 D, Sprinter 212 D Turbo, Sprinter 214, Sprinter 308 D, Sprinter 310 D Turbo, Sprinter 312 D Turbo, Sprinter 314, Sprinter 410 D, Sprinter 410 D Turbo, Sprinter 412 D 4 Matic Turbo, Sprinter 412 D Turbo, Sprinter 414, V 200, V 280, Vito 110 TD, Vito 113, Vito 114	1992 - 2006	4, 5, 6, 8	1.4, 1.8, 2.0, 2.2, 2.3, 2.4, 2.5, 2.8, 2.9, 3.0, 3.2, 3.6, 4.3, 5.0, 5.4	<b>S13</b>	<b>W S13</b>
<b>MINI</b>	Cooper D, Cooper D Cabrio, Cooper D Clubman, Cooper D Countryman, Cooper D Paceman, Cooper D X Countryman, Cooper D X Paceman, Cooper SD, Cooper SD Cabrio, Cooper SD Clubman, Cooper SD Countryman, Cooper SD Coupe, Cooper SD Paceman, Cooper SD Roadster, Cooper SD X Countryman, Cooper SD X Paceman, One D, One D Clubman, One D Countryman	2006 - 2015	4	1.6, 2.0	<b>R4</b>	<b>W R4-R5</b>
<b>MINI</b>	Cooper (R55), Cooper (R56), One (R56);	2006-2010	4	1.6	<b>R28</b>	<b>W R28</b>
<b>MITSUBISHI</b>	Grandis (diesel), Lancer VIII, Lancer VIII Sportback, Outlander II 4x4 (CW6W), Outlander II Van 4x4	2005 - 2015	4	2.0	<b>R3</b>	<b>W R3-R11</b>
<b>MITSUBISHI</b>	Carisma, Carisma 4x4, Colt VI, Colt VII, Delica, Delica 4x4, Grandis (Petrol), L 200, L 200 4x4, L 300, L 300 4x4, Lancer VII, Lancer VII Evolution 4x4, Lancer VII Wagon, Montero, Montero 4x4, Outlander I, Outlander I 4x4, Outlander II, Outlander II 4x4 (CW8W), Pajero II, Pajero II 4x4, Pajero III, Pajero III 4x4, Pajero IV 4x4, Pajero Pinin 4x4, Pajero Sport 4x4, Space Star, Triton	1980 - 2015	4, 6	1.3, 1.4, 1.5, 1.6, 1.8, 2.0, 2.4, 2.5, 2.6, 2.8, 3.0, 3.2, 3.5, 3.8	<b>R6</b>	<b>W R6-R20</b>
<b>NISSAN</b>	200SX, 200SX, 300ZX, 350Z, 370Z, Altima, Altra EV, Armada, Cube, D21 Pickup, Frontier, GT-R, Juke, Maxima, Micra, Murano, Navara, NV1500, NV2500, NV3500, NX, Pathfinder, Pickup, Quest, Rogue, Sentra, Stanza, Titan, Tiida, Versa, Xterra, X-Trail	1984 - 2015	4, 6, 8	1.6, 1.8, 2.0, 2.4, 2.5, 3.0, 3.3, 3.5, 3.7, 3.8, 4.0, 5.6	<b>R1</b>	<b>W R1-R9</b>
<b>PEUGEOT</b>	107, 206, 207, 208, 301, 407, 508, 607, 807, 1007, 2008, 3008, 5008, 206 Break, 206 CC, 206+, 207 Break, 207 CC, 3008 4x4, 306 II, 306 II Break, 307 I, 307 I Break, 307 I Break, 307 II, 307 II Break, 308 I, 308 I, 308 I Break, 308 I Break, 308 I CC, 308 I CC, 308 II, 308 II, 308 II Break, 308 II CC, 4007 4x4, 4007 4x4, 4008 4x4, 407 Break, 407 Coupe, 407 Coupe, 508 4x4, 508 Break, 508 Break 4x4, Bipper, Bipper Tepee, Expert II, Expert III, Expert III Tepee, Partner I, Partner II, Partner II 4x4, Partner III, Partner III 4x4, Partner III Tepee, Ranch I, Ranch I MPV, Ranch II MPV, Ranch III, Ranch III Tepee, RCZ	2000-2014	4	1.4, 1.6, 1.9, 2.0, 2.2	<b>R28</b>	<b>W R28</b>
<b>PORSCHE</b>	Cayenne	2004 - 2015	6, 8	3.2, 3.6	<b>R3</b>	<b>W R3-R11</b>
<b>PORSCHE</b>	Carrera GT	2004 - 2005	10	5.7	<b>R5</b>	<b>W R4-R5</b>
<b>PORSCHE</b>	Cayenne, Panamera	2009 - 2015	6	3.0	<b>R6</b>	<b>W R6-R20</b>
<b>PORSCHE</b>	911, Boxster, Cayman	2000 - 2015	6, 8	2.7, 2.9, 3.2, 3.4, 3.6, 3.8, 4.5, 4.8	<b>R23</b>	<b>W R23</b>
<b>RENAULT</b>	Models With 14mm Plug	1982 - 2004	4	1.4, 1.7, 2, 2.2, 2.5	<b>R20</b>	<b>W R6-R20</b>
<b>RENAULT</b>	Clio II, Clio II Campus, Clio II Van, Clio III, Clio III Grandtour, Clio III Van, Clio IV, Clio IV Grandtour, Dokker, Duster, Duster 4x4, Fluence, Grand Modus, Grand Scenic III, Kangoo II, Kangoo II Be Bop, Kangoo II Express, Kangoo II Rapid, Laguna III, Laguna III Grandtour, Latitude, Logan I, Logan I MCV, Logan II, Logan II MCV, Megane Generation, Megane III, Megane III CC, Megane III Coupe, Megane III Grandtour, Modus, Pulse, Sandero I, Sandero II, Sandero Stepway, Scenic III, Scenic III	2000 - 2015	4, 6	1.0, 1.2, 1.4, 1.5, 1.6, 1.8, 1.9, 2.0, 2.9, 3.0	<b>R16</b>	<b>W R16-R22</b>
<b>SAAB</b>	9-3 II (petrol), 9-3 II 4WD, 9-3 II Cabrio (petrol), 9-5 II, 9-5 II 4WD	2002 - 2015	4, 6	2, 2.8	<b>F1</b>	<b>W F1-F3</b>
<b>SAAB</b>	9-3 II (petrol, 1.8L)	2003 - 2009	4	1.8	<b>R6</b>	<b>W R6-R20</b>
<b>SAAB</b>	9-3 II (diesel, 1.9L), 9-3 II Cabrio (diesel, 1.9L), 9-5 I	2004 - 2012	4	1.9	<b>R23</b>	<b>W R23</b>
<b>SEAT</b>	Alhambra, Alhambra 4 Motion, Altea, Altea Freetrack, Altea Freetrack 4x4, Altea XL, Altea XL 4x4, Arosa, Cordoba, Cordoba Vario, Exeo, Exeo ST, Ibiza III, Ibiza IV, Ibiza V, Ibiza V Sportcoupe, Ibiza V ST, Inca, Leon, Leon 4x4, Leon SC, Leon ST, Toledo I, Toledo II, Toledo III, Toledo IV	1991 - 2015	3, 4, 5, 6	1.0, 1.2, 1.4, 1.6, 1.7, 1.8, 1.9, 2.0, 2.3, 2.8	<b>R3</b>	<b>W R3-R11</b>
<b>SKODA</b>	Fabia (petrol), Felicia I, Laura, Octavia, Octavia 4x4, Octavia Kombi, Octavia Kombi 4x4, Octavia RS, Octavia RS Kombi, Octavia Scout 4x4, Rapid, Rapid Spaceback, Roomster, Roomster Praktik, Superb, Superb 4x4, Superb Kombi, Superb Kombi 4x4, Yeti, Yeti 4x4	1995 - 2015	3, 4, 6	1.2, 1.4, 1.6, 1.8, 1.9, 2.0, 2.5, 2.8, 3.6	<b>R3</b>	<b>W R3-R11</b>

\*Attention: All SMART-O plug vehicle data is to be used for quick reference only. No representation or warranty is made to the accuracy of the data. Oil Drain plug / Sump plug sizes can vary according to model, engine specifications, country of manufacture. Always utilize the gauge tool to measure the thread diameter, pitch and shank length of your existing plug and match those up with a comparable SMART-O plug. If in doubt, check with your vehicles' original manufacturer manual.





CAR MAKE	MODEL	YEAR	CYL	ENGINE DISPLACEMENT L	SMART-O Plug #	SMART-O Washer #
<b>SUBARU</b>	E12, E12 4WD, Forester 4WD, Impreza, Impreza 4WD, Legacy II, Legacy II 4WD, Legacy III 4WD, Legacy IV 4WD, Liberty, Outback, Tribeca, SVX 4WD, Tribeca 4WD, Vivio, Vivio 4WD, WRX, VX	1991 - 2015	3, 4, 6	0.7, 1.0, 1.2, 1.5, 1.6, 1.8, 2.0, 2.2, 2.5, 3.0, 3.3, 3.6	<b>R24</b>	<b>W R24</b>
<b>SUZUKI</b>	Aerio, Carry, Grand Vitara, Grand Vitara 4WD, Ignis, Ignis 4WD, Jimny, Jimny 4WD, Liana, Vitara, SX4, Reno, Swift, XL-7, XL-90, JLX	1988 - 2015	4	1.3, 1.5, 1.9	<b>R6</b>	<b>W R6-R20</b>
<b>TOYOTA</b>	4 Runner, 4 Runner 4x4, Alphard, Alphard 4x4, Aurion, Auris, Auris 4x4, Avalon, Avensis, Avensis Verso, Avensis Wagon, Camry, Carina E, Carina II, Carina II Wagon, Celica, Coaster, Corolla, Corona, Dyna, Dyna 100, Dyna 150, Dyna 200, Dyna 300, Dyna 400, Echo, Echo 4x4, FJ Cruiser 4x4, Fortuner, Fortuner 4x4, Hiace III, Hiace IV, Hiace IV 4x4, Hiace V, Highlander, Highlander 4x4, Hilux, Innova, iQ, Kluger, Kluger 4x4, Land Cruiser 100 4x4, Land Cruiser 120 4x4, Land Cruiser 200 4x4, Land Cruiser 4x4, Land Cruiser 70 4x4, Land Cruiser 90 4x4, Land Cruiser Prado 4x4, Matrix 4x4, MR 2, Noah, Noah 4x4, Prado, Previa, Prius, Qualis, RAV 4, Reiz, Reiz 4x4, Scion xA, Spacio, Tarago, Tundra, Tundra 4x4, Venza, Venza 4x4, Vios, Vista, Vista Wagon, Vitz, Voxy 4x4, Wish, Yaris, Yaris Verso	1985 - 2015	3, 4, 6, 8	1.0, 1.3, 1.4, 1.5, 1.6, 1.8, 2.0, 2.2, 2.4, 2.5, 2.7, 2.8, 3.0, 3.3, 3.4, 3.5, 4.0, 4.1, 4.2, 4.5, 5.7	<b>R1</b>	<b>W R1-R9</b>
<b>VOLKSWAGEN</b>	Amarok (diesel), Amarok 4 Motion, Bora, Bora 4 Motion, Bora Variant, Bora Variant 4 Motion, Caddy 2, Caddy 3, Caddy 3 4 Motion, Caddy 4, Caddy 4 4 Motion, Caddy Maxi, Caddy Maxi 4 Motion, Golf, LT 28, LT 35, LT 46, New Beetle, New Beetle Cabrio, Passat 4, Passat 4 4 Motion, Passat 4 Variant, Passat 4 Variant 4 Motion, Polo 3, Polo 3 Classic, Polo 3 Variant, Polo 4 (9N1), Tiguan	2000 - 2015	3, 4, 5, 6	1.0, 1.2, 1.4, 1.6, 1.8, 1.9, 2.0, 2.3, 2.5, 2.8	<b>R3</b>	<b>W R3-R11</b>
<b>VOLVO</b>	C 30 (petrol), S 40 II (petrol), S 60 II (petrol), V 50 (petrol), V 60 (petrol), V 70 III (petrol, 2.0L)	2004 - 2014	4	1.6, 1.8, 2.0	<b>F3</b>	<b>W F1-F3</b>
<b>VOLVO</b>	S 40 I (petrol, 1.8L), V 40 I (petrol, 1.8L)	2000 - 2004	4	1.8	<b>R6</b>	<b>W R6-R20</b>
<b>VOLVO</b>	C 30, C 70 II Cabrio, S 40 II, S 80 II, V 50, V 70 III	2006-2015	4	2.0	<b>R20</b>	<b>W R6-R20</b>
<b>VOLVO</b>	854, 855, 964, 965, 855 AWD, C 30 (diesel), C 70 I, C 70 I Cabrio, C 70 II Cabrio, S 40 I, S 40 II (diesel), S 40 II AWD, S 60 I, S 60 I AWD, S 60 II (diesel), S 60 II AWD, S 70, S 80 I, S 80 I AWD, S 80 II, S 80 II AWD, S 90, V 40 I, V 40 II, V 40 II Cross Country, V 40 II Cross Country AWD, V 50 (diesel), V 50 AWD, V 60 (diesel), V 60 AWD, V 70 I, V 70 I AWD, V 70 II, V 70 II AWD, V 70 III, V 70 III AWD, V 90, XC 60, XC 60 AWD, XC 70 I AWD, XC 70 II AWD, XC 70 III, XC 70 III AWD, XC 70 III Cross Country AWD, XC 90 AWD	1990 - 2015	4, 5, 6, 8	1.6, 1.8, 1.9, 2.0, 2.3, 2.4, 2.5, 2.8, 2.9, 3.0, 3.2, 4.4	<b>R23</b>	<b>W R23</b>

## Overview SMART-O plug range

SMART-O plug	Thread Dia	Pitch
<b>F1</b>	M12	1.75mm
<b>F3</b>	M14	1.5mm
<b>R1</b>	M12	1.25 mm
<b>R20</b>	M14	1.25mm
<b>R3</b>	M14	1.5mm
<b>R6</b>	M14	1.5mm
<b>R9</b>	1/2"	20
<b>R11</b>	M14	1.5mm
<b>R16</b>	M16	1.5mm

SMART-O plug	Thread Dia	Pitch
<b>R21</b>	3/4"	16
<b>R22</b>	M16.4	1.33mm
<b>R23</b>	M18	1.5mm
<b>R24</b>	M20	1.5mm
<b>R4</b>	M12	1.5mm
<b>R5</b>	M12	1.5mm
<b>S13</b>	M26	1.5mm
<b>S18</b>	M22	1.5 mm

\*Attention: All SMART-O plug vehicle data is to be used for quick reference only. No representation or warranty is made to the accuracy of the data. Oil Drain plug / Sump plug sizes can vary according to model, engine specifications, country of manufacture. Always utilize the gauge tool to measure the thread diameter, pitch and shank length of your existing plug and match those up with a comparable SMART-O plug. If in doubt, check with your vehicles' original manufacturer manual.

